
Product Description:

The SF Red screen filler (block-out) is a medium viscosity product designed to fill the open areas of the screen not covered by the emulsion. Use for masking several designs on a screen ready to print or for multi-color work. This product offers increased durability and spreads smoothly and evenly for optimum drying and filling.

Product Features

- Water-Based
- Solvent Resistant
- Optimal Transparency
- Solvent Free
- Non-Hazardous
- Biodegradable
- Great for Touching Up Pinholes

Directions:


When the screen is dry and free of contaminants, pour the block-out on the substrate side of the screen. Using a plastic blade applicator, spread over the open area of the screen until completely filled.

Touch up all the defects, including heavy deposits which tend to dry on the outside and pop off or smear during printing. Where very fine meshes are used, it may be necessary to reduce the viscosity by adding a little water.

To reclaim, remove with water.

Revision: 11/24/2014

Supersedes: 11/30/2011



Health & Safety:

Refer to the relevant Material Safety Data Sheet for specific chemical and physical properties.

Storage:

When sealed in the original container and stored in cool conditions, this product will maintain its original properties for one year from the date of production.

This Technical Bulletin is intended to be used for informational purposes only, and is in no way intended to create any warranties or other obligations on behalf of Norcote. All warranties, terms and/or conditions for a particular product will be specified on the applicable invoice and are only valid upon the creation of a legally-binding contract.

Testing

Due to the inability of Norcote to anticipate or control the conditions under which the Products and information relating thereto will be used and/or stored, Norcote cannot guarantee the results obtained from using the Products.